

Spec Series[®]

STG Series

English





Contents

2 About True

4 Spec Series®

10 Accessories





The industry's most complete refrigeration source.
True.

True is the world's leading supplier of quality commercial refrigeration. Founded over 70 years ago in Missouri, USA, True continues to flourish around the globe by offering the best possible environment to store your food products.





True, Your Energy Efficient Future... Naturally



Hydrocarbon has less than **THREE** Global Warming Potential (R134A = 1,430)



Naturally Occurring Refrigerant = Environmentally Friendly



Up to 15% more efficient than R134A and R404A



ZERO Ozone Depletion Potential



Sustainability

Over 70 Years of commercial refrigeration focus have enabled True to become experts in the design and development of our systems. While energy efficiency has always been part of our design process, we continue to utilize new technologies to improve our systems to be the most efficient in the industry, without sacrificing the performance that ultimately provides food safety for our customers throughout the World.

True continually searches for environmentally friendly components and processes to help reduce our own and our customers' carbon footprint. Initiatives include offering a natural refrigerant and a zero GWP/ODP Ecomate[®] foam insulation.

Energy efficiency without compromise.



Many True products have qualified for inclusion on the ECA Energy Technology list.



Our natural refrigerant option is available on select models.



SPEC SERIES® STG Series

True's Spec Series® cabinets are designed to meet the demands of the institutional and consultant marketplaces. Top-mount design, heavy-gauge metals, and a deeper cabinet depth allows for a variety of interior options.

The most advanced and robust refrigeration systems, fitted as standard in all Spec Series® cabinets, ensure years of reliable service even in the most demanding foodservice environments.





Standard Features



Positive seal self-closing door with 120° stay open feature. Lifetime guaranteed external cam lift door hinges.



Lifetime guaranteed bolt style door lock.



Lifetime guaranteed heavy duty all metal working door handles.



Microprocessor digital control with LED display.



Energy efficient LED interior lighting.



All refrigeration systems are designed to withstand the high volume kitchen environment. Quality and reliability are #1 at True.

Energy efficient LED interior lighting.

Five different shelving kits available.

Positive seal self-closing doors with 120 degree stay open feature.

Door gaskets can be removed and replaced without tools for easy cleaning.

LIFETIME WARRANTY on hinges and locks.

LIFETIME GUARANTEED heavy-duty chrome die cast zinc handle on Solid and Glass door models.

Energy saving (ECM) evaporator motor that ensures faster temperature recovery and shorter run times in the busiest of foodservice environments.

All True glass doors utilize the best available technology for energy efficiency. True uses double pane "Low-E" glass assemblies for refrigerators.

Exclusive air distribution system, allowing for efficient circulation that adjusts to cabinet load.

Reversing condenser fan motor and easy access to condenser greatly reduce maintenance.

Microprocessor digital control with LED display.

Operates to climate class 5 – up to 43°C ambient.



Spec Series®

Doors

Positive seal self-closing doors with 120° stay open feature. Lifetime guaranteed external cam lift door hinges and bolt style door locks. Lifetime guaranteed, heavy-duty, chrome die cast zinc, working door handles.



Robust components



LED lighting



Digital display



Efficient motors



Quality materials

Exterior / Interior

Stainless steel door, front, floor and ceiling. Aluminum sides, side walls and back.

Shelving

(3) Sets 2/1 Gastronorm runners per door (shelves optional).

Air Distribution

Exclusive air distribution system allows for efficient circulation that adjusts to cabinet load.

Easy Maintenance

Door gaskets can be removed and replaced without tools for easy cleaning. Reversing condenser fan motor and easy access to condenser greatly reduces maintenance.

STG2R-2S

Reach-In Solid Swing Door Refrigerator



STG1R-1G



STG2R-2HG/2HS















STG1R-1S



STG2R-4HS

STG: Refrigerators





Model	Doors	Shelves	Dimensions (mm) W x D† x H	Litres	Crated Weight (kg)	Door Build
STG1R-1S	1	3	699 x 858 x 2137	622	170	 FULL SOLID
STG1R-2HS	2	3	699 x 858 x 2137	657	177	 HALF SOLID
STG1R-1G	1	3	699 x 858 x 2137	622	195	 FULL GLASS
STG1R-2HG	2	3	699 x 858 x 2137	622	211	 HALF GLASS
STG1R-1HG/1HS	2	3	699 x 858 x 2137	657	205	 HALF GLASS/HALF SOLID
STG2R-2S	2	6	1337 x 858 x 2137	1356	268	 FULL SOLID
STG2R-4HS	4	6	1337 x 858 x 2137	1356	320	 HALF SOLID
STG2R-2G	2	6	1337 x 858 x 2137	1334	322	 FULL GLASS
STG2R-4HG	4	6	1337 x 858 x 2137	1399	295	 HALF GLASS
STG2R-2HG/2HS	4	6	1337 x 858 x 2137	1356	268	 HALF GLASS/HALF SOLID
STG1RRI-1S	1	—	889 x 883 x 2128	1048	182	 FULL SOLID
STG2RRI-2S	2	—	1728 x 883 x 2128	2124	313	 FULL SOLID

† DEPTH DOES NOT INCLUDE 39MM FOR DOOR HANDLES.

† DEPTH DOES NOT INCLUDE 108MM FOR RAMP ON ROLL IN MODELS.

All dimensions rounded up to the nearest whole millimeter.

STG: Freezers

Model	Doors	Shelves	Dimensions (mm) W x D† x H	Litres	Crated Weight (kg)	Door Build
STG1F-1S	1	3	699 x 858 x 2137	657	175	 FULL SOLID
STG1F-2HS	2	3	699 x 858 x 2137	657	186	 HALF SOLID
STG2F-2S	2	6	1337 x 858 x 2137	1356	279	 FULL SOLID
STG2F-4HS	4	6	1337 x 858 x 2137	1356	320	 HALF SOLID

† DEPTH DOES NOT INCLUDE 39MM FOR DOOR HANDLES.

All dimensions rounded up to the nearest whole millimeter.



STG1F-1S



STG2F-4HS










STG1RRI-1S






STG2RRI-2S

Accessories

Interior Storage Options

Type 1	Description	Item Number
	Angle Type Tray Slide 16 ga. Stainless Steel For bottom support of: (1) 458 mm x 661 mm pan or (2) 356 mm x 458 mm pans	880866
Type 2 	Rod Type Tray Slide Chrome Plated Steel Rod Type For Rim Support of: (1) 458 mm x 661 mm pan Note: One pair of #2 tray slides accommodates one half section. *For light duty applications only	880818
Type 3 	Universal Tray Slide 16 ga. Stainless Steel Angle Type for Bottom Support of: (1) 458 mm x 661 mm pan or (2) 356 mm x 458 mm pans or (2) 305 mm x 508 mm pans	880865
Shelving		
	Chrome Shelves with Shelf Supports Chrome Shelves Stainless steel shelves also available *Not compatible with Gastronorm	N/A
	PVC Coated Shelves with Shelf Supports Grey PVC Coated Shelves *Not compatible with Gastronorm	N/A
Additional Gastronorm Runners		
	Additional Gastronorm Runners Set of 2 For support of gastronorm pans Note: When ordering runners please indicate model type.	976953
Gastronorm Wire Shelf		
	Gastronorm Shelf *Fits in gastronorm runners and slides Wire Shelf Kit, set of 3	977139
	Wire Shelf, each	970504

Legs / Castors

	Description	Item Number
	153 mm Legs (set of 4) – Stainless steel	881379
	153 mm Legs (set of 4) – for one & two section units	872025
	153 mm Seismic / Flanged Legs (set of 4) – for one & two section units	880348
	127 mm Castors (set of 4) – for one & two section units with brake	957545
	127 mm Castors (set of 6) – for one & two section units without brake	830278

Tray Slides	Spacings				
#1 Tray Slides	51 mm	77 mm	102 mm	127 mm	153 mm
Behind a full length door	28	19	14	11	10
Behind a half door	13	9	7	5	5
#2 Tray Slides	39 mm on center				
Behind a full length door	38				
Behind a half door	18				
Universal Tray Slides			102 mm	127 mm	153 mm
Behind a full length door			14	11	9
Behind a half door			6	5	4

True®

True manufactures the
widest range of professional
refrigeration products.

www.truemfg.com





Food Preparation Tables
Undercounters
Worktops
Upright Cabinets
Underbar Refrigeration
Glass Door Merchandisers
Vertical Air Curtains
Spec Series®
Chef Bases



TRUE REFRIGERATION - EUROPE

US OFFICE

2001 East Terra Lane • O'Fallon, Missouri 63366-4434 • USA
US Tel: +1 636.240.2400 • US Fax: +1 636.272.7546
US Toll Free: +1 800.325.6152 • Canada Toll Free to USA: +1 800.860.8783
Email: trueintl@truemfg.com

UK OFFICE

Fields End Road • Goldthorpe • Nr. Rotherham, South Yorkshire, S63 9EU • UK
Tel: +44 (0) 1709.888.080 • Fax: +44 (0) 1709.880.838
UK Freephone: 0 800.783.2049 • Freephone to USA: 0 800.894.928
Email: trueintl@truemfg.com

EU OFFICE

Hauptstr. 269 • 79650 Schopfheim • Germany
Tel: +49 (0) 7622.6883.0 • Fax: +49 (0) 7622.6883.499
Email: trueintl@truemfg.com

AUSTRALIA OFFICE

6B Phiney Place • Ingleburn, NSW 2565 • Australia
Tel: +61 2.9618.9999 • Fax: +61 2.9618.7259
Email: trueintl@truemfg.com

MEXICO OFFICE

Tel: +52.55.5804.6343/6344 • Fax: +52 555 804 6342
Tel U.S.A.: +1 636.240.2400 • Fax U.S.A.: +1 636.272.7546
Toll free from U.S.A. and Mexico: +1 800.325.6152
Email: trueintl@truemfg.com

CHILE OFFICE

Avenida Las Condes #7009, Local 1A Edificio A
CP 7560764, Las Condes, Santiago. Chile
Tlf. +56.232.13.3600 • Tlf. EE.UU.: +1 636.240.2400 • Fax EE.UU.: +1 636.272.7546
Email: trueintl@truemfg.com